

 premier
LANDSCAPING TIMBER

Premier Landscaping is a collection of best-in-class timber products aimed at delivering the complete fencing & landscaping package.

Whether it's for a home garden or commercial property, we deliver top quality timber materials plus all the trimmings, in one convenient order.

Delivering your vision in timber



THE COMPLETE LANDSCAPING PACKAGE

Premier Forest Products supplies all the timber, fixings and accessories you need to create and deliver your landscaping vision in timber.

FENCING

- Heavy duty fence panels
- Decorative fence panels
- Trellis
- Acoustic fence panels
- Feather edge boards
- Waney edge boards
- Heavy Duty Platinum treated fence stakes
- Treated PAR/PSE timber
- Screen cladding
- Fencing timber for posts, rails, gravel boards/kick plates, batten
- Fence pales
- Fencing accessories: post concrete, fixings, post caps

GATES & GATE ACCESSORIES

CLADDING

DECKING

- Decking boards; classic softwood, hardwood & anti-slip
- Decking framework timber
- Decking accessories: posts, spindles, stair strings & stair tread

SLEEPERS

SAWN TREATED & STRUCTURAL TIMBER

GARDEN FURNITURE

A RENEWABLE RESOURCE

While growing, trees absorb carbon dioxide from the atmosphere, capturing carbon which is then stored while being used as a building material. As a natural product, timber needs less energy to be produced compared to plastic or steel; by it's very nature, timber fencing is a renewable resource and can be recycled at the end of it's serviceable life.

For your peace-of-mind, many of our Timber products can be supplied with an FSC® (Forest Stewardship Council®) claim or PEFC (Programme for the Endorsement of Forest Certification) claim to demonstrate that they are supporting responsible management of the world's forests.

Look for FSC® certified products



PREMIER CLASSIC FENCE PANELS

MANUFACTURED IN THE UK

Premier Forest Products has been supplying premium quality fence panels and fencing timber for over 30 years. As timber specialists, we stock a comprehensive range of wooden fencing and sawn timber materials, available for UK-wide delivery.

Our classic fence panels are manufactured at a production facility based in the heart of Cornwall. Using specialist machinery and a team of dedicated fencing experts, these panels are still manufactured to the original, high specification developed by our Duchy Timber branch. The panels are hand-finished and individually checked for quality assurance at every stage of production.

BUILT TO LAST

All our fencing products are built to last and manufactured to the highest environmental and quality standards. Quality is key.

Each piece of wood is individually green pressure treated before panel assembly to ensure thorough, maximum penetration of the high-performance preservative. The green treatment retains the beautiful, natural grain of the wood, while offering weather resistance.

The combination of heavy duty construction treatment gives you a stronger and more robust product that will stand the test of time.

Our classic panels are FSC® certified and made from homegrown species, cut and manufactured in the UK, which results in a significantly reduced carbon footprint compared to imported species.





Classic Feather Edge Panel

Classic Heavy Duty Overlap

PREMIER FENCE PANELS

Fence panels are perfect for domestic garden fencing, general landscaping and light commercial use as perimeter fencing and for privacy.



GREEN TREATED



GREEN TREATED

CLASSIC HEAVY DUTY OVERLAP FENCE PANELS

Solid, robust and fully treated, our heavy duty overlap panels provide privacy and security and are made from timber.

Panel thickness is 45mm.

6'0" x 3'0" / 1.83m x 0.91m

6'0" x 4'0" / 1.83m x 1.22m

6'0" x 5'0" / 1.83m x 1.52m

6'0" x 6'0" / 1.83m x 1.83m

FSC® certified

CLASSIC FEATHER EDGE (CLOSEBOARD) PANELS

Our treated feather edge panels, also known as closeboard panels, are both strong and robust, offering an attractive fencing option which has been a classic favourite for many years.

Panel thickness is 50mm.

6'0" x 3'0" / 1.83m x 0.91m

6'0" x 4'0" / 1.83m x 1.22m

6'0" x 5'0" / 1.83m x 1.52m

6'0" x 6'0" / 1.83m x 1.83m

FSC® certified

ACOUSTIC FENCING

Tested and rated to achieve a reduction of 26dB, our acoustic fence panels are suitable for residential, commercial and public sector properties (for example schools). The panels reflect sound from motorways, roads, railways, industrial estates and other noisy environments.

Measuring upward of 1.8m high, these panels are anti-climb to deter intruders and offer effective privacy for properties.

Manufactured in the UK, these attractive, robust panels feature horizontal tongue and groove 'V' joint boards, which are machined from premium quality, joinery grade Scandinavian redwood. The boards are interlocked and then bonded with an acoustic sealant for enhanced acoustic performance.

The panels are made from responsibly sourced certified timber, and are fully green pressure treated to NHSS4* with a desired service life of 30 years**. They are manufactured in accordance with BS1793, achieving a rating of B3.

We offer two types of acoustic panel, for versatility with different applications and project size.

DUCHY ACOUSTIC FENCING



Perfect for homeowners wishing to upgrade an existing garden fence to an acoustic solution.

Timber posts are suitable for use with Duchy Acoustic panels. Cover strips may be required between the panel and post, depending on your installation; please check with our team.

Panel thickness is 50mm.

1.8m x 1.8m (approximately 80kg)

PREMIER REFLECT ACOUSTIC BARRIER



For larger-scale projects where versatility with installation is needed, these wider panels cover a greater area for a faster-fit and can be mixed-and-matched by size, stackable up to a height of 5m.

Timber posts can be used with Premier Reflect Acoustic Barrier up to 2.4m; steel posts are recommended above 2.4m.

Horizontal cover strips will be required between panels.

Vertical cover strips may be required between the panel and post, depending on your installation; please check with our team.

Panel thickness is 50mm.

2.4m x 1.0m (approximately 60kg)

2.4m x 2.0m (approximately 120kg)

2.4m x 3.0m (approximately 180kg)

Where a full panel isn't suitable for your project, you can still achieve noise reduction; we can supply the components for you to make up our acoustic barrier on site, provided only our products and method of construction are used. Just contact our team for more information.

If you need additional fencing components on site, we can supply these treated to NHSS4, including T&G boards, vertical cover boards, gravel boards, framing, rails and batten.

* National Highways Treatment Specification; note that this thorough treatment results in green tones showing in the wood, particularly around knots.

** Out of ground contact

DECORATIVE FENCING


In addition to our classic fence panels, we can also supply stunning decorative panels from leading-brand manufacturers in various styles and designs.



EUROPA



EUROPA PRAGUE



ROSEMORE LATTICE



KYOTO

Panel thickness is 40mm.
 6'0" x 3'0" / 1.83m x 0.9m
 6'0" x 4'0" / 1.83m x 1.2m
 6'0" x 5'0" / 1.83m x 1.5m
 6'0" x 6'0" / 1.83m x 1.8m
 FSC® certified

Panel thickness is 35mm.
 6'0" x 1'0" / 1.83m x 0.3m
 6'0" x 2'0" / 1.83m x 0.6m
 6'0" x 3'0" / 1.83m x 0.9m
 6'0" x 4'0" / 1.83m x 1.2m
 6'0" x 5'0" / 1.83m x 1.5m
 6'0" x 6'0" / 1.83m x 1.8m



CONTEMPORARY / SCREEN PANELS

Manufactured entirely from planed timber, these beautiful, modern, on-trend screen panels look contemporary and stylish in any application. Available in Canadian Western Red Cedar or Scandinavian Redwood available in either single or double sided.


If you need more flexibility with sizing and budget, we supply the individual PSE (Planed Square Edge) battens so that you can create your own screen fence, cost effectively.



Panel thickness is 50mm.
 1.83m x 0.9m
 1.83m x 1.2m
 1.83m x 1.5m
 1.83m x 1.8m

HEAVY-DUTY TRELLIS

Strong enough to be mounted between posts as a fence enclosing an area without losing the view. The square trellis has 6 inch gaps. The battens themselves are 38mm x 18mm.



6'0" x 1'0" / 1.83m x 0.30m
 6'0" x 2'0" / 1.83m x 0.61m
 6'0" x 3'0" / 1.83m x 0.92m
 6'0" x 4'0" / 1.83m x 1.22m
 6'0" x 5'0" / 1.83m x 1.52m
 6'0" x 6'0" / 1.83m x 1.83m
 FSC® certified

FENCING BOARDS

FEATHER EDGE FENCING BOARDS

Feather edge board fencing is durable with a traditional style. It is highly versatile, ideal for use on slopes, uneven ground or where a full panel is simply too large for the space. Great for building a new timber fence, feather edge boards are also perfect for fence repair projects where perhaps only a few boards need to be replaced.

22mm x 100mm - 1.2m, 1.5m, 1.65m, 1.8m, 2.4m, 4.8m lengths

22mm x 125mm - 1.2m, 1.5m, 1.65m, 1.8m, 2.4m, 3.6m, 4.8m lengths

22mm x 150mm - 1.65m, 1.8m, 3.6m, 4.8m lengths

Specific lengths are available to cut to order.

WANNEY EDGE BOARDS

Waney edge boards are a versatile, popular classic which can be used for fencing, cladding and outdoor buildings such as sheds.

Similar to feather edge, waney edge is designed to be fitted horizontally with the boards overlapping each other. Waney edge boards feature one square edge and one irregular 'wavy' edge which is totally unique. This is because the board is cut from the outer part of the tree and often includes bark.

Our waney edge boards are made from homegrown larch which contains knots, so each board has an individual, non-uniform look.

Boards are 200 x 22mm but this varies between 150mm to 250mm due to the natural character of the profile. Coverage is typically 150mm.



Feather Edge Fencing Boards

Treated PAR

Waney Edge

TREATED PLANED TIMBER

Available in a range of sizes, treated Planed All Round (PAR) timber is a popular choice for modern fencing. As a durable, yet cost-effective alternative to screen panels or screen cladding, treated PAR offers great flexibility around sizing, slopes and styling to create a unique fence.

SCREEN CLADDING

Screen cladding can also be used as an alternative to contemporary fence panels. You can create a similar effect but have greater versatility in sizing the fence, or even mix and match widths for a truly individual look.

There are many species to choose from, depending on your budget - just call us for advice or visit our website to find out more.

Standard Sizes:

22mm x 50mm - 3.6m, 4.8m lengths

Bespoke sizes are available on request.

GATES

Need a fence with access? Take a look at our wide selection of garden gates, side gates, driveway and field gates. Made from homegrown, kiln-dried softwood timber, each wooden gate component is green pressure treated for many years of useful life.

Our standard sizes for garden and side gates are 0.9m width x 0.9m and 1.8m heights.

1.8M GATES



Country



Ledge & Brace Feather Edge



Manor



Restormel



Caradon



Lerryn



Blackberry



Orchard



0.9M GATES



Country



Manor



Restormel



Caradon



Lerryn



Blackberry



Orchard Curved Top



Estate

Field and driveway gates standard sizes:

| | |
|---------------|---------------|
| 915mm (3ft) | 1220mm (4ft) |
| 1525mm (5ft) | 1830mm (6ft) |
| 2130mm (7ft) | 2440mm (8ft) |
| 2740mm (9ft) | 3050mm (10ft) |
| 3350mm (11ft) | 3660mm (12ft) |

CLADDING

Creating a lodge, glamping pod or hut? Finish off the look with Premier Claddings, a full range of timber cladding in a variety of species, standard and bespoke profiles to suit the needs of your project.

Species we offer as standard include:

- **Accoya® Wood**
- **Canadian Western Red Cedar**
- **Canadian Douglas Fir**
- **Thermowood®**
- **European Redwood**
- **Larch-Douglas Fir Mix & Canadian Larch**
- **Homegrown Cedar**

Plus hardwood species as a special order.

We offer factory-applied treatments* which can prolong the life-service of your cladding and make it more durable. Specialist fire treatments are available and coatings such as paints and stains can also be applied to customise your cladding.

Working with the latest architectural trends, we partner with specialists to offer a range of Japanese-inspired Shou-Sugi-Ban® Charred Cladding, for a highly unique and contemporary look.

Standard Sizes:

22mm x 100mm - 3.6m, 4.8m lengths

22mm x 150mm - 3.6m, 4.8m lengths

Bespoke sizes are available on request.

* Always seek advice about treatment and after-care to preserve the aesthetics and style you want to achieve in the longer term.

** Images courtesy of Shou Sugi Ban®




Charred Larch, Takage**



Charred Cedar, Yama-Yakisugi, Brushed Flat Sawn Light**



Larch



Western Red Cedar Screen Cladding



Homegrown Larch Horizontal Shadow Gap 150mm



Douglas Fir Vertical Shadow Gap 150mm



Scan here to watch our claddings video



Scan here to view our claddings brochure

DECKING

Decking makes the most out of outdoor spaces, assisting with access and providing a practical solution for sloped or uneven ground. This attractive, versatile classic also serves as a landscaping feature and an extension to indoor space, for example providing seating & dining areas for entertaining.

As well as classic and anti-slip softwood decking boards, we supply hardwood boards, and Accoya® Wood.

ACCOYA® WOOD DECKING

Accoya® Wood is a high performance wood which has a very low moisture content, making it incredibly stable and so won't visibly shrink, swell or distort in the outdoors. Highly durable, it carries a 25 year warranty as decking. Accoya® Wood is non-toxic with a smooth, consistent finish which is splinter-free, so it's perfect for bare feet in the summer! Accoya® Wood is machined in-house and available in a natural wood finish and in contemporary grey.

Premier Forest also supplies timber for the decking frame, plus the finishing-touch accessories like posts, spindles, stair strings and stair treads.

32mm x 125mm – 3.6m, 4.2m, 4.8m lengths



ANTI-SLIP DECKING

Our Premier 125 Gripsure anti-slip decking is a quality pressure treated redwood decking, featuring anti-slip inserts for a safer, low maintenance outdoor space.

With an overall average PTV rating of 80 (extremely low risk of slipping), and an expected life service of 15-20 years, our anti-slip decking is perfect for outdoor public spaces stepped areas and walkways.

Premier 125 is machined in the UK and weathers to an attractive silvery grey; however, it can be stained or oiled to maintain or enhance its appearance.

Screws and accessories are available.

SLEEPERS

Sleepers are an ever-popular choice for landscaping projects. As a multi-purpose, robust timber, sleepers can be used to mark boundaries, create raised beds, stair edging and even retaining walls. A timeless classic, sleepers are perfect for both cottage-gardens and contemporary outdoor spaces alike.

Create your look with oak sleepers, reclaimed sleepers, plus green and brown treated softwood sleepers available from Premier Forest Products.

200mm x 100mm x 2.4m

250mm x 125mm x 2.4m

200mm x 100mm x 2.4m

200mm x 100mm x 3m

200mm x 100mm x 3.6m

Supplied in Class UC3 and also available to order in UC4 and Incised.

SAWN TIMBER FOR LANDSCAPING

To help you complete your landscaping projects, we offer a full and comprehensive range of sawn timber for fence posts, gate posts, rails, gravel boards, batten, decking frames, pergolas, glamping pods and other landscaping structures.

Graded, ungraded, treated, untreated sawn timber, CLS, structural timber and timber carcassing is readily available in a huge choice of thicknesses and lengths. Our most popular sizes are listed, but just call us if you need something a little different.

- 47mm x 50mm - 3.6m, 4.8m lengths
- 47mm x 75mm - 3.6m, 4.8m lengths
- 47mm x 100mm - 3.6m, 4.8m lengths
- 47mm x 125mm - 3.6m, 4.8m lengths
- 47mm x 150mm x - 3.6m, 4.8m lengths
- 47mm x 175mm - 3.6m, 4.8m lengths
- 47mm x 200mm - 3.6m, 4.8m lengths
- 47mm x 225mm - 3.6m, 4.8m lengths



ROUND TOP PALES

19mm x 75mm - 0.9m, 1.2m lengths



FENCE POSTS

- 75mm x 75mm - 1.5m, 1.8m, 2.1m, 2.4m, 3.0m, 3.6m lengths
- 100mm x 100mm - 1.8m, 2.1m, 2.4m, 3.0m, 3.6m, 4.8m lengths
- 75mm x 125mm - 1.8m, 2.1m lengths

Post caps are available to assist water-run-off and prolong the life of the post.

Supplied in Class UC3 and also available to order in UC4 and Incised.

Courtesy of Cardiff Handy Man



FENCE RAILS

- 38mm x 50mm - 3.6m, 4.8m lengths
- 47mm x 75mm - 3.6m, 4.8m lengths
- 38mm x 88mm - 3.6m, 4.8m lengths
- 38mm x 100mm - 3.6m, 4.8m lengths
- 47mm x 100mm - 3.6m, 4.8m lengths



CAPPING RAILS

38mm x 50mm - 3.6m lengths



GRAVEL BOARDS

- 22mm x 75mm - 1.8m, 3.6m, 4.8m lengths
- 22mm x 100mm - 1.8m, 3.6m, 4.8m lengths
- 22mm x 150mm - 1.8m, 3.6m, 4.8m lengths
- 22mm x 175mm - 3.6m, 4.8m lengths
- 22mm x 200mm - 3.6m, 4.8m lengths



FENCING ACCESSORIES

Post concrete, panel clips, screws, nails, stock fencing wire and all the accessories you'll need to complete your fencing project.



PLATINUM TREATED STAKES

With the shifting trend from traditional creosote treatment, the Premier Platinum range offers a more environmentally conscious option for cundy stakes, machine round stakes, rails and jump poles, whilst providing a value-for-money, robust fencing option.

The Premier Platinum range features fence stakes which are treated to NHSS4*, exceeding the typical UC4 treatment level used for domestic projects.

The Premier Platinum stakes undergo a kiln drying process before treatment, removing moisture in the wood to allow it to better absorb the preservative treatment. The stakes are then pressure-treated overnight, which is well over the treatment time applied to standard UC4 products.

This combination of kiln drying and extending the treatment time results in an impressive 30-year desired service life, double that of UC4, making Premier Platinum the perfect choice for long-term agricultural applications.

* National Highways Treatment Specification



Ideal for agricultural use



OUTDOOR FURNITURE

Finish with a flourish and furnish your outdoor space with premium quality, hand-crafted garden furniture.

Each component is pressure treated using timber preservative, giving a long service life.





Delivering your vision in timber



Scan here
to discover
Premier
Forest



Premier Forest Products is a leading, independent supplier of timber products, offering quick and reliable Nationwide delivery from multiple sites across the UK.

Premier Forest's in-house fabrication, machining and joinery facilities mean we offer complete timber solutions with full quality assurance.

- **Panel Products**
- **Panel Processing & Fabrication**
- **Softwoods & Hardwoods**
- **Claddings & Mouldings**
- **Commercial & Traditional Joinery**
- **Staircases & Components**
- **Fire Door Solutions**
- **Timber Engineering**

Call your Regional Sales office:

North East: 01482 761 220

North West: 0161 777 9000

Midlands: 0121 265 4822

West Wales: 01437 760 890

South Wales & West: 01633 254 422

London & South East:
01895 253 491 / 0118 975 1100

sales@premierforest.co.uk

premierforest.co.uk

Look for FSC®
certified products



The mark of
responsible forestry



Issue 2

 Premier Forest Products Ltd

 @PremierForestProducts

 @premierforest